

**VUNYX<sup>®</sup>**

**Nano Ceramic Window Film**

**LIFETIME WARRANTY**







► EVERY DAY LIKE BRAND NEW

VUNYX®

# Nano Ceramic Window Film (OCR Series)



**Vunyx® Nano Ceramic Window Films** are designed to effectively reflect and absorb significant levels of light while ensuring maximum visibility for car owners. These tints reduce glare, resist fading, and are built to be highly shatter-resistant for enhanced safety and durability.

Made from advanced high-tech materials, Vunyx® Nano Ceramic Window Films utilize nano-sized ceramic particles, such as silicon oxide and titanium dioxide, to provide superior surface protection and performance.

These materials deliver exceptional heat rejection, UV protection, and a sleek aesthetic, making them a popular choice for modern automotive applications.

**VUNYX®**

# Nano Ceramic Window Film's Technical Parameters

TEST RESULTS	OCR 05	OCR 15	OCR 35	OCR 75
Total Solar Energy Rejected (TSER)	Up to 97%	Up to 70%	Up to 67%	Up to 51%
Visible Light Transmission (VLT)	5%	15%	35%	77%
Ultraviolet Rejection (UV)	Up to 99%	Up to 99%	Up to 99%	Up to 99%
Infrared Rejection (IR)	Up to 85%	Up to 85%	Up to 85%	Up to 85%
Glare Reduction	Up to 94%	Up to 84%	Up to 63%	Up to 25%
Shading Coefficient	0.24	0.34	0.38	0.56
Solar Heat Gain Coefficient (SHGC)	0.21	0.30	0.33	0.49
Haze	1.92%	1.97%	1.95%	1.98%

► AVAILABLE SIZES: 60"X100', 24"X100', 36"X100', 20"X100', 40"X100'



Lifetime Warranty



Total Solar Energy Rejected (TSER) - Up to 79%



Visible Light Transmission (VLT) - Up to 77%





**ONYX COATING GmbH**  
German Headquarters:  
Hardenbergstr. 12,  
10623 Berlin  
Phone: +49 308 878 9772

**ONYX COATING USA Inc.**  
USA Distribution Office:  
98 Cuttermill Road, Suite 466 S,  
Great Neck, New York, 11021  
Phone: +1 800 774 3928

[info@onyxcoating.com](mailto:info@onyxcoating.com)  
[www.onyxcoating.com](http://www.onyxcoating.com)